

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CeB2: Celina-----	90	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.75	Somewhat limited Depth to saturated zone	0.86
CrA: Crosby-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
CrB: Crosby-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Celina-----	30	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.75	Somewhat limited Depth to saturated zone	0.86
CtB: Crosby-----	55	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Miami-----	40	Somewhat limited Depth to saturated zone	0.68	Somewhat limited Depth to saturated zone	0.04	Somewhat limited Depth to saturated zone	0.25
EdF: Eden-----	100	Very limited Slope Depth to bedrock Too clayey Seepage Content of large stones	1.00 1.00 1.00 1.00 1.00 0.97	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Too clayey Hard to compact Content of large stones	1.00 1.00 1.00 1.00 1.00 0.97
EoA: Eldean-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Gravel content	1.00 1.00 1.00 0.10
EoB2: Eldean-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Gravel content	1.00 1.00 1.00 0.15

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EoC2: Eldean-----	90	Very limited Seepage Too Sandy Slope	1.00 1.00 1.00 0.04	Very limited Seepage Slope	1.00 0.04	Very limited Too Sandy Seepage Gravel content Slope	1.00 1.00 1.00 0.15 0.04
EoD2: Eldean-----	100	Very limited Seepage Too Sandy Slope	1.00 1.00 1.00	Very limited Seepage Slope	1.00 1.00	Very limited Too Sandy Seepage Slope Gravel content	1.00 1.00 1.00 1.00 0.15

ExB3:							
Eldean-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Gravel content	1.00 1.00 0.38
ExC3:							
Eldean-----	90	Very limited Seepage Too Sandy Slope	1.00 1.00 0.63	Very limited Seepage Slope	1.00 0.63	Very limited Too Sandy Seepage Slope Gravel content	1.00 1.00 0.63 0.41
FcA:							
Fincastle-----	90	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
Ge:							
Genesee-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
Hb:							
Haplaquepts-----	90	Not limited		Not limited		Not limited	
HeF:							
Hennepin-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Hu:							
Houghton-----	100	Very limited Depth to saturated zone Content of organic matter Seepage	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Content of organic matter Seepage	1.00 1.00 0.16
LbB2:							
Losantville-----	90	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.92	Somewhat limited Depth to saturated zone	0.95

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LbC2:							
Losantville-----	90	Very limited Depth to saturated zone Slope	1.00 0.04	Somewhat limited Depth to saturated zone Slope	0.92 0.04	Somewhat limited Depth to saturated zone Slope	0.95 0.04
LbD2:							
Losantville-----	90	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope Depth to saturated zone	1.00 0.92	Very limited Slope Depth to saturated zone	1.00 0.95
LcC3:							
Losantville-----	90	Very limited Depth to saturated zone Slope	1.00 0.04	Somewhat limited Depth to saturated zone Slope	0.92 0.04	Somewhat limited Depth to saturated zone Slope	0.95 0.04
LcD3:							
Losantville-----	90	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope Depth to saturated zone	1.00 0.92	Very limited Slope Depth to saturated zone	1.00 0.95
LeB2:							
Losantville-----	90	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.92	Somewhat limited Depth to saturated zone	0.95
LxC3:							
Losantville-----	90	Very limited Depth to saturated zone Slope	1.00 0.04	Somewhat limited Depth to saturated zone Slope	0.92 0.04	Somewhat limited Depth to saturated zone Slope	0.95 0.04
Ma:							

Mahalasville-----	100	Very limited Depth to saturated zone Seepage Too clayey	1.00 1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Hard to compact Too clayey	1.00 1.00 0.50
MnB2: Miami-----	90	Somewhat limited Depth to saturated zone	0.68	Somewhat limited Depth to saturated zone	0.04	Somewhat limited Depth to saturated zone	0.25
MnC2: Miami-----	90	Somewhat limited Depth to saturated zone Slope	0.68 0.04	Somewhat limited Slope Depth to saturated zone	0.04 0.04	Somewhat limited Depth to saturated zone Slope	0.25 0.04

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnD2: Miami-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
MnE: Miami-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
MnF: Miami-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
MrA: Miami-----	90	Very limited Seepage Too clayey	1.00 0.50	Not limited		Somewhat limited Too clayey	0.50
MrB2: Miami-----	90	Very limited Seepage Too clayey	1.00 0.50	Not limited		Somewhat limited Too clayey	0.50
MrC2: Miami-----	90	Very limited Seepage Too clayey Slope	1.00 0.50 0.04	Somewhat limited Slope	0.04	Somewhat limited Too clayey Slope	0.50 0.04
Ms: Millsdale-----	100	Very limited Depth to saturated zone Depth to bedrock Too clayey Seepage	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
MwB2: Miami-----	50	Somewhat limited Depth to saturated zone	0.68	Somewhat limited Depth to saturated zone	0.04	Somewhat limited Depth to saturated zone	0.25
Crosby-----	45	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
MxB2: Miami-----	30	Somewhat limited Depth to saturated zone Too clayey	0.68 0.50	Somewhat limited Depth to saturated zone	0.04	Somewhat limited Too clayey Depth to saturated zone	0.50 0.25
Crosby-----	25	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map	Trench sanitary landfill	Area sanitary landfill	Daily cover for landfill
-----------------------------	-------------------	-----------------------------	---------------------------	-----------------------------

	unit	Rating class and limiting features		Rating class and limiting features		Rating class and limiting features	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Losantville-----	20	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone	0.47
OcA: Ockley-----	90	Very limited Seepage Too clayey	1.00 0.50	Not limited		Somewhat limited Too clayey	0.50
OcB2: Ockley-----	90	Very limited Seepage Too clayey	1.00 0.50	Not limited		Somewhat limited Too clayey Gravel content	0.50 0.01
Or: Orthents-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Pr: Pits-----	100	Not rated		Not rated		Not rated	
Rc: Ragsdale-----	100	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
RhA: Randolph-----	90	Very limited Depth to saturated zone Depth to bedrock  Seepage Too clayey	1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Depth to bedrock	1.00 1.00	Very limited Depth to bedrock  Depth to saturated zone Hard to compact Too clayey	1.00 1.00 1.00 0.50
RkA: Reesville-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
RmD: Rodman-----	100	Very limited Seepage Too Sandy Slope	1.00 1.00 1.00	Very limited Seepage Slope	1.00 1.00	Very limited Too Sandy Seepage Slope Gravel content	1.00 1.00 1.00 0.96
RmF: Rodman-----	100	Very limited Slope Seepage Too Sandy	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Slope Too Sandy Seepage Gravel content	1.00 1.00 1.00 0.96

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RsB2: Russell-----	76	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
RsC2: Russell-----	100	Somewhat limited Too clayey Slope	0.50 0.04	Somewhat limited Slope	0.04	Somewhat limited Too clayey Slope	0.50 0.04
Sh: Shoals-----	90	Very limited Flooding  Depth to saturated zone	1.00 1.00	Very limited Flooding  Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Sk: Sleeth-----	90	Very limited		Very limited		Very limited	

		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Seepage	1.00			Too clayey	0.50
		Too clayey	0.50				
Sn:							
Sloan-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Too clayey	0.50				
St:							
Stonelick-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Somewhat limited Seepage	0.52
		Seepage	1.00	Seepage	1.00		
SuB3:							
Strawn-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
SuC3:							
Strawn-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Slope	0.04	Slope	0.04	Slope	0.04
SuD3:							
Strawn-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Tr:							
Treaty-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Too clayey	0.50			Hard to compact Too clayey	1.00
							0.50
Ts:							
Treaty-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
UmB:							
Urban Land-----	70	Not rated		Not rated		Not rated	
Miami-----	30	Not rated		Not rated		Not rated	
UmC:							
Urban Land-----	65	Not rated		Not rated		Not rated	
Miami-----	35	Not rated		Not rated		Not rated	
UoA:							
Urban Land-----	70	Not rated		Not rated		Not rated	
Miami-----	30	Not rated		Not rated		Not rated	
UoB:							
Urban Land-----	70	Not rated		Not rated		Not rated	
Miami-----	30	Not rated		Not rated		Not rated	
Us:							
Urban Land-----	70	Not rated		Not rated		Not rated	
Millsdale-----	30	Not rated		Not rated		Not rated	

Wa:						
Water-----	100	Not rated		Not rated		Not rated
Wc:						
Water-----	100	Not rated		Not rated		Not rated

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
We:							
Westland-----	100	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Seepage	1.00			Too clayey	0.50
		Too clayey	0.50				
WyB2:							
Wynn-----	90	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00			Too clayey	0.50
		Too clayey	0.50				
WyC2:							
Wynn-----	90	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Slope	0.04	Too clayey	1.00
		Seepage	1.00			Hard to compact	1.00
		Slope	0.04			Slope	0.04
WyD2:							
Wynn-----	90	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Slope	1.00	Too clayey	1.00
		Seepage	1.00			Hard to compact	1.00
		Slope	1.00			Slope	1.00
XeB2:							
Xenia-----	95	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Too clayey	0.50			Too clayey	0.50